



VARNALUX

DATA SHEET

LED STRIPS PREMIUM

DATA SHEET



LED STRIP PREMIUM

5 METER 9.6W 24V 3000K 4000K 6000K



AVAILABLE MODELS

Color Temp	REF No
3000K	907472
4000K	907473
6000K	907474



DATA SHEET



LED STRIP PREMIUM

5 METER 9.6W 24V 3000K 4000K 6000K

ELECTRICAL DATA

Wattage	9.6W/m
Input Voltage	DC24V
Operating Current	≈0.34A

CAPABILITIES

LEDs/m	120
Lumen	960 lm/m
Kelvin	3000K, 4000K, 6000K
Color	White
Illumination Range	1-3m
Dimmable	Yes
Operating Temperature	-25°C - +60°C
Storage Temperature	-40°C - +80°C

LIFESPAN & WARRANTY

Lifespan	50.000 hrs
Warranty	3 years

DIMENSIONS & PACKAGING

Product Dimensions	5000x8 mm
Outer box	80pcs.
LED QTY	120 pcs/meter

ADDITIONAL INFORMATION

IP Rating	IP20
Certificates	CE, RoHS

AVAILABLE MODELS

Color Temp	REF No
3000K	907472
4000K	907473
6000K	907474




DATA SHEET


LED STRIP PREMIUM

5 METER 9.6W 24V 3000K 4000K 6000K


CHIP DIMENSIONS



STRIP DIMENSIONS



SPECTRUM CHARACTERISTICS CURVE




DATA SHEET




LED STRIP PREMIUM

5 METER 9.6W 24V 3000K 4000K 6000K


CURRENT/VOLTAGE CHARACTERISTICS CURVE



BRIGHTNESS/CURRENT CHARACTERISTICS CURVE



CIRCUIT DIAGRAM






DATA SHEET



LED STRIP PREMIUM

5 METER 9.6W 24V 3000K 4000K 6000K

CONNECTION SCHEMES



DATA SHEET

LED STRIP PREMIUM


5 METER 9.6W 24V 3000K 4000K 6000K

INSTALLATION


Double sided sticker



Mounting clip



Fixed with a clamp



⚠ Cut along the cutting mark!

PACKAGING

